

303 020

Work Order ID 133385

Monday, June 08, 2015 3:59:40 PM

133385

Item ID: D3912-1 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Eyebolt
Start Date: 6/11/15 Start Qty: 6.00 *6* Cust Item ID:
Required Date: 6/11/15 Req'd Qty: 6.00 *6* Customer:
Reference:

Approvals: Process Plan: MLJ Date: JUN 09 2015 Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3912	B								

100

0.00

100

Doosan

Memo

0.00

Doosan Lathe

TURN AS PER FOLIO FA871AND DWG

Prog Rev: AA

Dwg Rev: B

Deburr as required

6 0 JFC 2015-06-15

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

6 0 JFC 2015-06-15

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					

Work Order ID 133385

Monday, June 08, 2015 3:59:40 PM

133385

Page 2

Item ID: D3912-1

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Eyebolt

Start Date: 6/11/15

Start Qty: 6.00

6

Cust Item ID:

Required Date: 6/11/15

Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run

Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.00

Quality Control

DAS
40
9-89

15/06/18

130

Identify as per dwg & Stock Location: 5T065

0.00

130

Packaging

Memo

0.00

Packaging

G 10 DAS
27
9-89

JUN 20 2015

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

ML5

JUN 22 2015

ML5 JUN 22 2015

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Monday, June 08, 2015 3:59:39 PM

Page 1

Work Order ID: 133385

133385

Parent Item: D3912-1

D3912-1

Parent Item Name: Eyebolt

Start Date: 6/11/15

Required Date: 6/11/15

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP RevA: New issue DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M303R2.000		Purchased	No			100	f	6.0000	0.25	2			

M303R2 000

303 ROUND BAR 2"

Location

Loc Qty

Loc Code

MAT028

6

m130013

6

1,45 JFC 2015-06-15

DQA: _____ Date: _____





WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3912-041	EYEBOLT RECEIVER ASSY
1	1	D3912-1	EYEBOLT
2	2	D3912-3	EYEBOLT BLOCK
3	2	D3912-5	EYEBOLT PLATE
4	1	D3801-1	SPRING PLUNGER
5	8	MS20615-4M20	RIVET
6	1	MS21209-F615	HELICAL
7	1	NAS1149F0332P	WASHER



SUPPLEMENTAL ISO VIEW
(EYEBOLT PLATE REMOVED
TO SHOW INTERIOR FEATURES)

D3912-041 EYEBOLT RECEIVER ASSY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3912-041 USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT -041: 1.58 lbs

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 133385 MLS
15-06-09



RELEASED
2010-07-16
wp

B	D3801-1 WAS D3810-1 SPRING PLUNGER; D4028-041 RMV; MS21209-F615 WAS MS21209-C610 HELICAL; (1) WASHER NAS1149C0663R ADDED; BOSS ADDED TO D3912-1.	JPH	10.06.28
A	NEW ISSUE	JPH	10.03.04
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>ALS</i>		
DRAWN	<i>ALS</i>		
CHECKED	<i>ALS</i>		
MFG. APPR.	<i>ALS</i>		
APPROVED	<i>ALS</i>		
DE APPR.	<i>ALS</i>		
DATE	10.06.28		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D3912** REV. B
TITLE **EYEBOLT RECEIVER ASSY** SCALE NTS
SHEET 1 OF 3


COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



D3912-1 EYEBOLT

NOTES:


- 1) MATERIAL: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582
REF DART SPEC M303R OR M304R
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ID AT ASSEMBLY
- 7) WEIGHT: 0.45 lbs




SECTION A-A B8-3

RELEASED
2010-07-16

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JL	DRAWING NO. D3912	REV. B
CHECKED	JL	SHEET 2 OF 3	
MFG. APPR.	JL	TITLE	SCALE
APPROVED	JL	EYEBOLT RECEIVER ASSY	NTS
DE APPR.	JL	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	10.06.28		



D3912-3 EYEBOLT BLOCK



D3912-5 EYEBOLT PLATE

NOTES:

1) MATERIAL -3: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276
REF DART SPEC M303B OR M304B

-5: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME 5A240
REF DART SPEC M303S11GA OR M304S11GA

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: ID AT ASSEMBLY

7) WEIGHT -3: 0.30 lbs

-5: 0.24 lbs

RELEASED
2010-07-16
md

DESIGN	AS	DART AEROSPACE LTD	
DRAWN	JS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JS	DRAWING NO.	REV. B
MFG. APPR.	JS	D3912	SHEET 3 OF 3
APPROVED	JS	TITLE	SCALE
DE APPR.	JS	EYEBOLT RECEIVER ASSY	
DATE	10.06.28	NTS	
COPYRIGHT © 2010 BY DART AEROSPACE LTD			
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

DART AEROSPACE LTD		Work Order: 133385
Description: Eyebolt		Part Number: D3912-1
Inspection Dwg: D3912	Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.13	+/-0.030	0.125	✓		Caliper	JFC-01
Ø0.700	+/-0.010	0.7005	✓		mic d-1	JFC-02
Ø0.500	+/-0.010	0.5003	✓		mic d-1	JFC-02
0.90	+/-0.030	0.897	✓		Caliper	JFC-01
0.13 x 45°	+/-0.030 x 0.5°	0.130	✓		depth g	JFC-07
0.22	+/-0.030	0.220	✓		"	"
0.75	+/-0.030	0.747	✓		Caliper	JFC-01
0.970	+/-0.010	0.966	✓		"	"
1.72	+/-0.030	1.719	✓		"	"
1.20	+/-0.030	1.198	✓		"	"
0.625	+/-0.010	0.625	✓		"	"
2.23	+/-0.030	2.227	✓		"	"
R0.13	+/-0.030	R0.125	✓		Rad G	Shop
R0.015	+/-0.010	R0.015	✓		"	"
0.625	+/-0.010	0.622	✓		Caliper	JFC-01
Ø0.650	+/-0.010	0.651	✓		"	"
1.100	+/-0.010	1.100	✓		"	"
0.44	+/-0.030	0.440	✓		"	"
R0.13	+/-0.030	R0.125	✓		rad G	Shop
1.00	+/-0.030	1.004	✓		Caliper	JFC-01
0.25	+/-0.030	0.245	✓		depth g	JFC-07
0.88	+/-0.030	0.877	✓		Caliper	JFC-01
0.11	+/-0.030	0.110	✓		depth g	JFC-07
Ø0.719	+0.010/-0.000	0.7215	✓		Caliper + pin	JFC-01 + Shop

Measured by: Jfe	Audited by: DAS 40 9-89	Preliminary Approval:
Date: 2015-06-15	Date: 15/06/18	Date:

Rev	Date	Change	Revised by	Approved
A	10.06.07	New Issue	KJ	
B	10.08.09	Dimensions revised per Dwg Rev B	KJ	